

APT Speaker

CS-301FC/303FC/301FQ/303FQ

CS-301FC/303FC



CS-301FQ/303FQ



FEATURES

- ⌘ 1 WAY Apart Speaker System
- ⌘ High-quality matching trans
- ⌘ The beautiful and graceful cabinet design

SPECIFICATIONS

Model		CS-301FC	CS-303FC	CS-301FQ	CS-303FQ
Unit				3"	
Power Handling (AES)		1W	3W	1W	3W
Input Power	100V	1W	3W	1W	3W
	70V	-	-	-	-
Impedance	100V	10kΩ	3.14kΩ	10kΩ	3.14kΩ
	70V	-	-	-	-
	LOW	-	-	-	-
Frequency Range (-20%)		230Hz~20kHz	180Hz~19.5kHz	220Hz~20kHz	180Hz~20kHz
Sensitivity (1W/1m)		80dB	83dB	79dB	82dB
Maximum SPL [Cont]		80dB	88dB	79dB	87dB
Nominal Dispersion (HxV)	1kHz	140°	150°	130°	140°
	4kHz	110°	70°	110°	70°
Weight (Net)		0.17kg / 0.37lb	0.20kg / 0.44lb	0.19kg / 0.41lb	0.22kg / 0.48lb
Dimensions (Net, WxHxD)		126(Φ) x 42(D)mm / 5(Φ) x 1.7(D)in		120 x 120 x 49mm / 4.7 x 4.7 x 1.9in	


* Design and specification are subject to be changed for the improvement of product quality without pre notice.

CS-301FC/303FC/301FQ/303FQ




FREQUENCY RESPONSE


▶ CS-301FC




▶ CS-303FC



▶ CS-301FQ




▶ CS-303FQ



DIMENSIONAL


▶ CS-301FC/303FC



FRONT

SIDE

▶ CS-301FQ/303FQ



FRONT

SIDE

*CS-301FC/303FC
HOLE SIZE : ϕ 110~115mm



RED OFFICE SUPPLIES LIMITED

📍 Eastern Commercial Complex, 73 Kakrail, 7th Floor,
Suite#12, Ramna, Dhaka-1000, Bangladesh

☎ 09614 61 61 61 ✉ info@redoffice.com.bd

🌐 www.redoffice.com.bd